

SAFETY DATA SHEET PRODUCT NAME: DURAGRAPH® GRAPHITES

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Duragraph®

1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture

Processing of graphite (substance)--> Milling and sieving of graphite powder

Distribution and handling of graphite (substance)--> Bulk loading and unloading, repacking, sampling and storage of synthetic graphite powder

Formulation of mixtures--> Mixing of graphite powder with additional components

Calendering/molding operations--> Compression of graphite as a substance or in Preparations (production of articles)

Thermal treatment--> Thermal treatment at temperatures above 500 °C, incl. charging and discharging Use as an article (mechanical applications)--> Sealing and bearing application industrial incl. automotive Use as an article (high temperature applications)--> Heater, Shielding and thermal management Use as an article (electrical applications)--> Conductivity (e.g. electrical contacts, brushes) Use as an article (metallurgical applications)--> e.g. graphite electrodes, dies for continuous casting Use as substance or in preparations--> e.g. use in lubricants and conductive materials Use as substance or in preparations--> e.g. recarburiser, casting powder, ramming mass

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: Erodex (UK) Ltd

Location: Halesowen Street: Park Road

Telephone: +44 (0)1384 892011

e-mail: sales@erodex.com

www.erodex.com

1.4. Emergency telephone

number: +44 (0)1384 892011



SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

This mixture is not classified as hazardous in accordance with Directive 1999/45/EC.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2 Label elements

2.3 Other hazards

Special danger of slipping by leaking/spilling product. Graphite dusts could cause an electrical short.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical characterization

Mixture based on Graphite

EC-no. (EINECS/ELINCS): 231-955-3; CAS-No.: 7782-42-5;

concentration: > 94 % by weight; dangerous contamination: none

Hazardous components

EC No	Chemical Name	Quantity		
CAS No	Classification according to Directive 67/548/EEC			
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
REACH No				
231-955-3	Graphite	> 94 %		
7782-42-5				
01-2119486977-12				

Full text of R, H and EUH phrases: see section 16.



SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information

None / none

After inhalation

Provide fresh air.

After contact with skin

Gently wash with plenty of soap and water.

After contact with eyes

Rinse cautiously with water for several minutes.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

None

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Foam. Carbon dioxide (CO2). Extinguishing powder. Water spray. (use only up to 1500°C) Use inert gases or covering with cold coke or graphite powder (> 1500 °C).

Unsuitable extinguishing media

High power water jet.

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide. Sulphur dioxide (SO2) Fire class A (Fires of solids, mainly organic nature, which normally burn down under glow forming.).



5.3 Advice for fire-fighters

In case of insufficient ventilation, wear suitable respiratory equipment.

Additional information

At temperature > 500°C graphite reacts with substances containing oxygen.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid generation of dust.

Wear personal protection equipment (refer to section 8).

6.2 Environmental precautions

At temperature > 500 °C graphite reacts with substances containing oxygen.

6.3 Methods and material for containment and cleaning up

Take up mechanically

6.4 Reference to other sections

Additional information: Section 8 and 13

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling

Special danger of slipping by leaking/spilling product.

Advice on protection against fire and explosion

Dust should be exhausted directly at the point of origin.

Further remarks: Section 9 (Explosive properties:)

Further information on handling

Section 8.2 "General protection and hygiene measures:"



7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

None

Advice on storage compatibility

None

Further information on storage conditions

None

7.3 Specific end use(s)

None

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Additional advice on limit values

If technical suction or ventilation measures are not possible or are insufficient, respiratory protection must

be worn. [EN 14387]

Worker, industry. and Worker, professional: DNEL/DMEL (inhalation.): 1,2 mg/m³
Consumer use: DNEL/DMEL (inhalation.): 0,3 mg/m³

DNEL/DMEL (oral.): 813 mg/kg bw/day

Remark: DNEL (inhalation) is applicable for respirable fractions

of Graphite dust that can reach the alveolar regions of

the lung.

8.2 Exposure controls

Appropriate engineering controls

"Dust: 10 mg/m³ (inhalable); 1.25 mg/m³ (alveolar) [TRGS 900]"

Procedures to check the limit monitoring: [DIN EN 481].

Protective and hygiene measures

When using do not eat, drink, smoke, sniff.

Wash hands before breaks and after work.



Eye protection

Dust protection goggles. [EN 166]

Hand protection

Suitable gloves type: Chromate-free leather. [EN 388] Wear cotton undermitten if possible.

Skin protection

None

Respiratory protection

If technical suction or ventilation measures are not possible or are insufficient, protective breathing apparatus must be worn. [EN 14387]

Environmental exposure controls

None

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state: Solid

Colour: Grey / black

Odour: None

Changes in the physical state

Test Method

Melting point: > 600 °C OECD 102

Boiling point: Not applicable
Sublimation point: 3652-3697 °C
Softening point: Not applicable
Flash point: Not applicable

Flammability

Solid: Non-flammable.

Explosive properties

Not explosive.

Lower explosion limits: Not applicable Upper explosion limits: Not applicable



Auto-ignition temperature

Solid: None

Oxidizing properties None

Vapour pressure: Not applicable Density (at 20 °C): 2,2 g/cm³

Water solubility: < 0,00045 g/L OECD 105 / EU A.6

(at 20 °C)

Partition coefficient: Not applicable Viscosity / dynamic: Not applicable

Evaporation rate: Not applicable (inorganic substance)

9.2 Other information

Graphite dust with particles sizes from 4 to 40 μ m is able to explode in a wide range of concentrations. The minimum ignition energy is > 1000 J for the finest dust. The dusts tested were classified as St1. (Denkevits A., 2003)

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None

10.2 Chemical stability

No adverse effects known.

10.3 Possibility of hazardous reactions

None

10.4 Conditions to avoid

Graphite dust with particles sizes from 4 to 40 μ m is able to explode in a wide range of concentrations. The minimum ignition energy is > 1000 J for the finest dust. The dusts tested were classified as St1. (Denkevits A., 2003)

10.5 Incompatible materials

None

10.6 Hazardous decomposition products

None

Further information

None



SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Toxicocinetics, metabolism and distribution

Based on existing data the substance does not fullfill the criteria of CMR-substances Cat. 1 and 2 according 67/548/EEC.

Acute toxicity

Based on available data the classification criteria are not met.

Acute toxicity, oral: LD50: > 2000 mg/kg bw/day [Rat.] (OECD 423)

Acute toxicity, inhalant: LD50: (4h) > 2000 mg/m³ Air. [Rat.] (OECD 403)

Dose limit according to CLP.

CAS No	Chemical Name				
	Exposure route	Method	Dose	Species	Source
7782-42-5	Graphite				
	Oral	LD50	> 2000 mg/kg	Rat	
	Dermal	LD50	mg/kg	Rat	
	Inhalative (4 h) aerosol	LC50	> 2000 mg/l	Rat	

Irritation and corrosivity

Skin corrosion/irritation: Not an irritant. [Rabbit.] (OECD 404) Irritant effect on the eye: Not an irritant. [Rabbit.] (OECD 405)

Respiratory or skin sensitisation: no danger of sensitization. [Mouse.] (OECD 429)

Severe effects after repeated or prolonged exposure

STOT-RE

Based on available data the classification criteria are not met.

Subacute oral toxicity:

Specific effects: none, Affected organs: not applicable. [Rat.] (OECD 422.)

Subacute inhalative toxicity:

Specific effects: Wet lung weight was increased. Minor histopathological findings in the lung and nasal cavity.

Affected organs: Irritating to respiratory system. [Rat.] (OECD 412.)



Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data the classification criteria are not met.

Genotoxicity:

Bacterial reverse mutation assay (OECD 471): negative.

Mammalian chromosome aberration test (OECD 473): negative.

Mammalian cell gene mutation test (gene mutation) (OECD 476): negative.

Carcinogenicity:

No indications of human carcinogenicity exist. (literature value MAK, 2001)

Reproductive toxicity:

NOAEL: > 1000 mg/kg bw/day [Rat] (OECD 422.) Dose as nominal food intake, corresponding to limit dose acc. to OECD 422.

Specific effects in experiment on an animal

STOT-SF

Based on available data the classification criteria are not met.

Acute toxicity, oral: Specific effects: none; Affected organs: not applicable. [Rat] (OECD 423) Acute toxicity, inhalant: Specific effects: Only usual signs of discomfort after the end of exposure were observed.

Additional information on tests

Aspiration hazard: Solid substance. Based on available data the classification criteria are not met.

No human data on effects after ingestion, skin or eye contact. See section 4 for first aid

Practical experience

Observations relevant to classification

none

Other observations

none

Further information

Result: No signs of systemic toxicity were observed, no signs of any effects on development, reproduction, or fertility.



SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Acute (short-term) fish toxicity: LC50: > 100 mg/L Exposure time: (96 h) Method: OECD 203

Acute Daphnia toxicity: EC50 > 100 mg/L Exposure time: (48 h) Method: OECD 202

Algae toxicity: EC50 > 100 mg/L Exposure time: (72 h) Method: OECD 201

Longterm fish toxicity: not determined Chronic daphnia toxicity: not determined

CAS No	Chemical Name					
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
7782-42-5	Graphite					
	Acute fish toxicity	LC50	> 100 mg/l	96 h		
	Acute algae toxicity	ErC50	> 100 mg/l	72 h		
	Acute crustacea toxicity	EC50	> 100 mg/l	48 h		

12.2 Persistence and degradability

not determined; Product is inorganic.

12.3 Bioaccumulative potential

not determined; Product is inorganic.

12.4 Mobility in soil

Not determined;

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects

No adverse effects known.



SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Advice on disposal

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Contaminated packaging

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

SECTION 14: TRANSPORT INFORMATION

Land transport (ADR/RID)

14.2 UN proper shipping name:

Not a hazardous material with respect to these transportation regulations.

Inland waterways transport

14.2 UN proper shipping name:

Not a hazardous material with respect to these transportation regulations.

Marine transport

14.2 UN proper shipping name:

Not a hazardous material with respect to these transportation regulations.

Air transport

14.2 UN proper shipping name:

Not a hazardous material with respect to these transportation regulations.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D):-- not water contaminating



15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

"A- Alveolengängig; ADR- Accord européen relatif au transport international des marchandises Dangereuses par Route; bw- Body Weight; CAS- Chemical Abstract Service; CSR- Chemical Safety Report; DFG Deutsche Forschungsgemeinschaft; DIN- Deutsche Industrie Norm; DNEL- Derived No Effect Level; E- Einatembar; EAKV- Europäischer Abfallkatalog Verordnung; EC – Effective Concentration; EC- Effect Concentrationuropean Commission; EINECS- European Inventory of Existing Commercial Chemical Substances; ELINCS- European List of Notified Chemical Substances;

EN- Europäische Norm; LC- Lethal Concentration; LD- Lethal Dosis; NOAEL- No Observed Adverse Effect Level; OECD- Organization for Economic Cooperation and Development; PBT- Persistent, Bioaccumulative and Toxic; RE- Repeated Exposure; REACH- Registration, Evaluation, Authorisation and Restriction of Chemicals;"

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)